

## **DETECTION OF NON HELMET RIDERS**

**LAMU PAVAN KALYAN** Student (MCA), NRI INSTITUTE OF TECHNOLOGY, A.P., India.

**R.SEETHARAM** Assistant Professor, Dept. of MCA, NRI INSTITUTE OF TECHNOLOGY, A.P., India.

**Abstract** —In this project we are detecting whether two wheeler rider wearing helmet or not, if he is not wearing helmet then we are extracting number plate of that two wheeler. To extract number plate we have YOLO CNN model with some train and test images and if you want to add some other images then send those images to us so we can include those images in YOLO model with annotation to extract number plate of those new images.

### **INTRODUCTION**

ALL OVER THE world around 1.35 million lives are lost each year, 50 million people are getting injured due to road accidents, according to a report titled “The Global status report on road safety 2018” released by world health organization. It is very hard to imagine that this burden is unevenly borne by motorcyclists, cyclists and pedestrians. This report noted that a comprehensive action plan has to be set up in order to save lives. Worrying fact is that India ranks number one as far as road crash deaths are considered. Rapid urbanization, avoiding helmets, seat belts and other safety measures while driving are some of the reasons behind this

trend according to analysis done by experts. In 2015 India signed Brasilia Declaration on Road Safety, where India committed to reduce road crash deaths to 50 percent by 2020. Policy makers first have to acknowledge the problems that persist in India before halving road crash deaths. When a two-wheeler meets with an accident, due of sudden deceleration, the rider is thrown away from the vehicle. If head strikes any object, motion of the head becomes zero, but with its own mass brain continues to be in motion until the object hits inner part of the skull. Sometimes this type of head injury may be fatal in nature. In such times helmet acts as life savior. Helmet reduces the chances of skull getting decelerated, hence sets the motion of the head to almost zero. Cushion inside the helmet absorbs the impact of collision and as time passes head comes to a halt. It also spreads the impact to a larger area, thus safeguarding the head from severe injuries.

### **LITERATURE SURVEY**

**S. Du, M. Shehata, W. Badawy [1]** Describe a comprehensive survey on existing (Automatic License Plate Recognition) ALPR Techniques by categorizing them according to the features used in each stage. Comparisons of them in the terms of Pros, Cons, Recognition results, & Processing

speeds were addressed. A future forecast for ALPR was also given at the end. The future research of ALPR should concentrate on multi-style plate recognition, video-based ALPR using temporal information, multi-plates processing, high - definition plate image processing, ambiguous -character recognition.

**P. anishiya, prof. S. Mary Joans [2]** focused a number plate localization and recognition system for vehicles in Tamilnadu(India) is proposed. This system is developed based on digital images and can be easily applied to commercial car park systems for the use of documenting access of parking services ,secure usage of parking houses and also to prevent car theft issues. The proposed algorithm is based on a combination of morphological operation n with area criteria tests for number plate localization.

### **PROPOSED SYSTEM**

The proposed a methodology for feature extraction using LBP based hybrid descriptor, HOG and Hough transform descriptors. Whereas Xinhua Jiang et al. incorporated grey level co- occurrence matrix along with LBP for feature extraction. YOLOv2 and COCO dataset can be employed to detect different types of objects and classify them accordingly The intended object are motorcycle, motorcyclists, pedestrians and workers. Helmet and tyre colour exhibits different

characteristics, this can be exploited to detect motorbikes . proposed a method to identify two wheeler accidents using a microcontroller and accelerometer. Most of the time pedestrians are the real victims for road accidents, their safety is essential. Jie Li et al. The proposed a method to classify pedestrians using SVM based on histogram of oriented gradient features (HOG). The last step involves helmet detection. Colour based and circle Hough transform is used to detect helmet and HOG descriptors can also be used for helmet detection

.Colour feature recognition is another option . deployed colour space transformation and colour feature discrimination for detecting the helmet. GLCM statistical features and Back- Propagation artificial neural network is used to detect helmet more effectively . helmet detection system involves following steps

such as collection of dataset, moving object detection, background subtraction, object classification using neural networks and extraction of license plate number if the rider is not wearing helmet. RattapoomWaranusast et al. used KNN classifier for moving object

**Juni Khyat**  
**(UGC Care Group I Listed Journal)**

extraction and classification. Here the head is classified as wearing helmet or not based on various features obtained from the segmented head region. Moving objects can be detected using adaptive background subtraction. ViBe background modeling algorithm can also be applied to detect motion objects. Canny edge detection algorithm is used to get segmented moving objects.

**SAMPLE SCREENS**



**CONCLUSION**

In this paper, A Non-Helmet Rider Detection system is developed where a video file is taken as input. If the motorcycle rider in the video footage is not wearing helmet while riding the motorcycle, and then here we are uploading image to identify license plate number of that motorcycle is extracted from image and displayed. Object detection principle with YOLO architecture is used for motorcycle, person, helmet and license plate detection. OCR is used for license plate number extraction if rider is not wearing helmet. Not only the characters are extracted, but also the frame from which it is also extracted so that it can be used for other purposes. All the objectives of the project is achieved satisfactorily.

**REFERENCES**

- [1. J.Chiverton, "Helmet Presence Classification with Motorcycle Detection And Tracking", IET Intelligent Transport Systems, Vol. 6, Issue 3, pp. 259–269, March 2012.
- 2. Rattapoom Waranusast, Nannaphat Bundon, Vasan Timtong

- and ChainarongTangnoi, "Machine Vision techniques for Motorcycle Safety Helmet Detection", 28th International Conference on Image and Vision Computing New Zealand, pp 35-40, IVCNZ 2013.
- 3. Romuere Silva, Kelson Aires, Thiago Santos, Kalyf Abdala, Rodrigo Veras, Andr ´e Soares, "Automatic Detection Of Motorcyclists without Helmet", 2013 XXXIX Latin America Computing Conference (CLEI).IEEE,2013.
  - 4. Romuere Silva, "Helmet Detection on Motorcyclists Using Image Descriptors and Classifiers", 27th SIBGRAPI Conference on Graphics, Patterns and Images.IEEE, 2014.
  - 5. ThepnimitMarayatr, PinitKumhom, "Motorcyclist"s Helmet Wearing Detection Using Image Processing", Advanced Materials Research Vol 931- 932,pp. 588-592,May-2014.
  - 6. Amir Mukhtar, Tong Boon Tang, "Vision Based Motorcycle Detection using HOG features", IEEE International Conference on Signal and Image Processing Applications (ICSIPA).IEEE, 2015.
  - 7. Abu H. M. Rubaiyat, Tanjin T. Toma, Masoumeh Kalantari-Khandani, "Automatic Detection of Helmet Uses for Construction Safety", IEEE/WIC/ACM International Conference on Web Intelligence Workshops(WIW).IEEE, 2016.
  - 8. XINHUA JIANG "A Study of Low-resolution Safety Helmet Image Recognition Combining Statistical Features with Artificial Neural Network".ISSN: 1473-804x
  - 9. Kunal Dahiya, Dinesh Singh, C. Krishna Mohan, "Automatic Detection of Bike-riders without Helmet using Surveillance Videos in Real-time", International joint conference on neural network(IJCNN). IEEE, 2016.